

<<锥优化的基于核函数的内点算法>>

图书基本信息

书名 : <<锥优化的基于核函数的内点算法>>

13位ISBN编号 : 9787030280268

10位ISBN编号 : 7030280261

出版时间 : 2010-1

出版时间 : 科学出版社

作者 : 袁亚湘 编

页数 : 135

版权说明 : 本站所提供之下载的PDF图书仅提供预览和简介,请支持正版图书。

更多资源请访问 : <http://www.tushu007.com>

<<锥优化的基于核函数的内点算法>>

前言

锥优化问题是一个凸规划问题，它的目标函数是线性函数，约束集是仿射空间和一个锥的交集，它从优化问题可行域的结构推广了线性规划问题，为求解非线性最优化问题提供了一种新的框架，锥优化有凸结构和丰富的对偶理论，对偶问题具有对称的简洁结构，同时，又有广泛应用背景，除了在传统学科，在经济、金融、管理和工程技术等领域亦有广泛的应用，近年来，锥优化与新兴学科有了广泛交叉和应用，如在无线传感网络、信息理论、编码理论等信息学科找到了丰富的应用，20世纪80年代出现的内点算法推动了算法计算复杂性研究的发展，也成为求解锥优化问题的强大工具，迄今为止，锥优化和内点算法已成为数学规划和优化领域最活跃的研究课题之一。

本书根据作者和其合作者Roos教授、Ghami博士、王国强博士近年来的研究工作，全面介绍求解线性规划、 $P(K)$ 线性互补问题、半正定优化、二阶锥优化基于核函数的内点算法，核函数的重要性体现在它有简单的解析表达式、容易计算的高阶导数等良好性质。

<<锥优化的基于核函数的内点算法>>

内容概要

本书根据作者和其合作者Roos教授、Ghami博士、王国强博士近年来的研究工作，全面介绍求解线性规划、 $P^*(k)$ 线性互补问题、半正定优化、二阶锥优化基于核函数的内点算法。

核函数的重要性体现在它有简单的解析表达式、容易计算的高阶导数等良好性质。

由核函数确定的障碍函数继承了这些良好性质，准确刻画了锥优化问题的中心路径，基于障碍函数设计的原始对偶内点算法，并有程序化的分析方法，使得内点算法的计算复杂性分析变得十分容易。

<<锥优化的基于核函数的内点算法>>

书籍目录

Preface
Chapter 1 Introduction
 1.1 Conic optimization problems
 1.2 Conic duality
 1.3 From the dual cone to the dual problem
 1.4 Development of the interior-point methods
 1.5 Scope of the book
Chapter 2 Kernel Functions
 2.1 Definition of kernel functions and basic properties
 2.2 The further conditions of kernel functions
 2.3 Properties of kernel functions
 2.4 Examples of kernel functions
 2.5 Barrier functions based on kernel functions
 2.6 Generalization of kernel function
 2.6.1 Finite kernel function
 2.6.2 Parametric kernel function
Chapter 3 Kernel Function-based Interior-point Algorithm for LO
 3.1 The central path for LO
 3.2 The search directions for LO
 3.3 The generic primal-dual interior-point algorithm for LO
 3.4 Analysis of the algorithm
 3.4.1 Decrease of the barrier function during an inner iteration
 3.4.2 Choice of the step size
 3.5 Iteration bounds
 3.6 Summary of computation for complexity bound
 3.7 Complexity analysis based on kernel functions
 3.8 Summary of results
Chapter 4 Kernel Function-based Interior-point Algorithm for P*(k) LCP
 4.1 The P*(k)-LCP
 4.2 The central path for P*(k)-LCP
 4.3 The new search directions for P*(k)-LCP
 4.4 The generic primal-dual interior-point algorithm for P*(k)-LCP...
 4.5 The properties of the barrier function
 4.6 Analysis of the algorithm
 4.6.1 Growth behavior of the barrier function
 4.6.2 Determining the default step size
 4.7 Decrease of the barrier function during an inner iteration
 4.8 Complexity of the algorithm
 4.8.1 Iteration bound for the large-update methods
 4.8.2 Iteration bound for the small-update methods
Chapter 5 Kernel Function-based Interior-point Algorithm for SDO
 5.1 Special matrix functions
 5.2 The central path for SDO
 5.3 The new search directions for SDO
 5.4 The generic primal-dual interior-point algorithm for SDO
 5.5 The properties of the barrier function
 5.6 Analysis of the algorithm
 5.6.1 Decrease of the barrier function during an inner iteration
 5.6.2 Choice of the step size
 5.7 Iteration bounds
 5.8 Kernel function-based schemes
 5.9 The example
 5.10 Numerical results
Chapter 6 Kernel Function-based Interior-point Algorithm for SOCO
 6.1 Algebraic properties of second-order cones
 6.2 Barrier functions defined on second-order cone
 6.3 Rescaling the cone
 6.4 The central path for SOCO
 6.5 The new search directions for SOCO
 6.6 The generic primal-dual interior-point algorithm for SOCO
 6.7 Analysis of the algorithm
 6.8 The crucial inequality
 6.9 Decrease of the barrier function during an inner iteration
 6.10 Increase of the barrier function during a μ -update
 6.11 Iteration-bounds
 6.12 Numerical results
 6.13 Some technical lemmas
Appendix Three Technical Lemmas
Reference

<<锥优化的基于核函数的内点算法>>

章节摘录

A linear optimization problem is the minimization of a linear function over a polyhedral set which can be viewed as the intersection of an affine space and the cone of nonnegative orthant. Many problems can be formulated as, or approximated by a linear optimization problem. There are many versions of interior-point methods for linear optimization. But the basic scheme of these methods is to remove the constraint set and add a multiple of the barrier function to the objective function. Therefore, the barrier-based scheme reduces the constrained problem into a series of unconstrained problems, then to "trace" the path formed by the optimal solutions of unconstrained problems. "Trace" means that the optimal solutions of unconstrained problems can be replaced by a good enough approximation of the optimal solutions of unconstrained problems. The procedure of the scheme can be gone on with updating the barrier parameter until the optimal set of linear optimization problem is reached.

<<锥优化的基于核函数的内点算法>>

版权说明

本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问:<http://www.tushu007.com>