

<<几何测度论>>

图书基本信息

书名：<<几何测度论>>

13位ISBN编号：9787506292085

10位ISBN编号：7506292084

出版时间：2009-5

出版时间：世界图书出版公司

作者：摩根

页数：248

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

<<几何测度论>>

前言

Singular geometry governs the physical universe : soap bubble clusters meeting along singular curves , black holes , defects in materials , chaotic turbulence , crystal growth. The governing principle is often some kind of energy minimization. Geometric measure theory provides a general framework for understanding such minimal shapes , a priori allowing any imaginable singularity and then proving that only certain kinds of structures occur.

Jean Taylor used new tools of geometric measure theory to derive the singular structure of soap bubble clusters and sea creatures , recorded by J. Plateau over a century ago (see Section 13.9) . R. Schoen and S.-T. Yau used minimal surfaces in their original proof of the positive mass conjecture in cosmology , recently extended to a proof of the Riemannian Penrose Conjecture by H. Bray. David Hoffman and his collaborators used modern computer technology to discover some of the first new complete embedded minimal surfaces in a hundred years (Figure 6.1.3) , some of which look just like certain polymers. Other mathematicians are now investigating singular dynamics , such as crystal growth. New software computes crystals growing amidst swirling fluids and temperatures , as well as bubbles in equilibrium , as on the front cover of this book. (See Section 16.8.) In 2000 , Hutchings , Morgan , Ritorr , and Ros announced a proof of the Double Bubble Conjecture , which says that the familiar double soap bubble provides the least-area way to enclose and separate two given volumes of air. The planar case was proved by my 1990 Williams College NSF "SMALL" undergraduate research Geometry Group [Foisy et al.]. The case of equal volumes in R^3 was proved by Hass , Hutchings , and Schlafly with the help of computers in 1995. The general R^3 proof has now been generalized to R^n by Reichardt. There are partial results in spheres , tori , and Gauss space , an important example of a manifold with density (see Chapters 18 and 19) . This little book provides the newcomer or graduate student with an illustrated introduction to geometric measure theory : the basic ideas , terminology , and results. It developed from my one-semester course at MIT for graduate students with a semester of graduate real analysis behind them. I have included a few fundamental arguments and a superficial discussion of the regularity theory , but my goal is merely to introduce the subject and make the standard text. Geometric Measure Theory by H. Federer. more accessible.

<<几何测度论>>

内容概要

Singular geometry governs the physical universe : soap bubble clusters meeting along singular curves , black holes , defects in materials , chaotic turbulence , crystal growth. The governing principle is often some kind of energy minimization. Geometric measure theory provides a general framework for understanding such minimal shapes , a priori allowing any imaginable singularity and then proving that only certain kinds of structures occur.

<<几何测度论>>

书籍目录

Preface 1 Geometric Measure Theory2 Measures3 Lipschitz Functions and Rectifiable Sets4 Normal and Rectifiable Currents5 The Compactness Theorem and the Existence of Area-Minimizing Surfaces6 Examples of Area-Minimizing Surfaces7 The Approximation Theorem8 Survey of Regularity Results9 Monotonicity and Oriented Tangent Cones10 The Regularity of Area-Minimizing Hypersurfaces11 Flat Chains Modulo v Varifolds, and Minimal Sets12 Miscellaneous Useful Results13 Soap Bubble Clusters14 Proof of Double Bubble Conjecture15 The Hexagonal Honeycomb and Kelvin Conjectures16 Immiscible Fluids and Crystals17 Isoperimetric Theorems in General Codimension18 Manifolds with Density and Perelman's Proof of the Poincare Conjecture19 Double Bubbles in Spheres, Gauss Space, and ToriSolutions to ExercisesBibliographyIndex of SymbolsName IndexSubject Index

章节摘录

14.20 Theorem (Hutchings et al. Theorem 7.1) The standard double bubble in R^3 is the unique area-minimizing double bubble for prescribed volumes. Proof Let B be an area-minimizing double bubble. By Corollary 14.11 and Proposition 14.19, either both regions are connected or one of larger volume and smaller pressure is connected and the other of smaller volume and larger pressure has two components. By the Hutchings structure theorem, 14.10, B is either as in Figure 14.16.1 or as in Figure 14.17.1. By 14.16 and 14.18, B must be the standard double bubble. Remark Although the final competitors are proved unstable, earlier steps such as symmetry (14.3) assume area minimization. It remains conjectural whether the standard double bubble is the unique stable double bubble.

14.21 Open Questions It is conjectured by Hutchings et al. that the standard double bubble in R^n is the unique stable double bubble. Sullivan [Sullivan and Morgan, Proposition 2] has conjectured that the standard k -bubble in R^n ($k < n + 1$) is the unique minimizer enclosing k regions of prescribed volume. For now, even the standard triple bubble in R^3 (Figure 13.3.1) seems inaccessible. 14.22

Physical Stability As explained in Section 13.14, the technically correct physical soap cluster problem is to minimize the Helmholtz free energy $F = U - TS$ to enclose and separate given quantities rather than volumes of gas (at fixed temperature T) , although the difference is negligible in practice. Here U is surface energy and S is entropy of the enclosed gas. To show that every round sphere minimizes F for a single given quantity of gas, since a round sphere minimizes surface area and hence U for fixed volume, it suffices to show that the number N of gas moles is an increasing function of volume v , which holds by scaling if for example N is proportional to Pv^n for $n > 1/3$ (for an ideal gas $n = 1$) . Here is the similar result for double bubbles in more detail: Proposition Assuming that the number N of gas moles is proportional to P for $n > 1/3$, a standard double bubble minimizes Helmholtz free energy for enclosing and separating two given masses of air. Proof The Helmholtz free energy of a double bubble depends on the surface area and the volumes. For given volumes, the standard double bubble minimizes surface energy (Theorem 14.20) and hence F . As either volume goes to 0, the entropy S goes to minus infinity and F goes to infinity. As either volume goes to infinity, the surface area and hence F go to infinity.

<<几何测度论>>

版权说明

本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问:<http://www.tushu007.com>