<<算术教程>>

图书基本信息

书名：<<算术教程>>

13位ISBN编号：9787510005350

10位ISBN编号：7510005353

出版时间：2009-8

出版时间：世界图书出版公司

作者：Jean-Pierre Serre

页数：115

前言

This book is divided into two parts. The first one is purely algebraic. Its objective is the classification ofquadratic forms over the field of rational numbers （Hasse-Minkowskitheorem）. It is achieved in Chapter IV. The first three chapters contain somepreliminaries： quadratic reciprocity law， p-adic fields， Hilbert symbols.Chapter V applies the preceding results to integral quadratic forms indiscriminant + 1. These forms occur in various questions： modular functions， differential topology， finite groups. The second part （Chapters VI and VII） uses "analytic" methods （holomor-phic functions）. Chapter VI gives the proof of the "theorem on arithmeticprogressions" due to Dirichlet; this theorem is used at a critical point in thefirst part （Chapter 111， no. 2.2）. Chapter VII deals with modular forms， and in particular， with theta functions. Some of the quadratic forms ofChapter V reappear here. The two parts correspond to lectures given in 1962 and 1964 to secondyear students at the Ecole Normale Superieure. A redaction of these lecturesin the form of duplicated notes， was made by J.-J. Saosuc （Chapters l-IV） and J.-P. Ramis and G. Ruget （Chapters VI-VIi）. They were very useful tome; I extend here my gratitude to their authors.

<<算术教程>>

内容概要

The first one is purely algebraic. Its objective is the classification ofquadratic forms over the field of rational numbers （Hasse-Minkowskitheorem）. It is achieved in Chapter IV. The first three chapters contain somepreliminaries： quadratic reciprocity law， p-adic fields， Hilbert symbols.Chapter V applies the preceding results to integral quadratic forms indiscriminant + 1. These forms occur in various questions： modular functions ， differential topology， finite groups. The second part （Chapters VI and VII） uses "analytic" methods （holomor-phic functions）. Chapter VI gives the proof of the "theorem on arithmeticprogressions" due to Dirichlet; this theorem is used at a critical point in thefirst part （Chapter 111， no. 2.2）. Chapter VII deals with modular forms， and in particular， with theta functions. Some of the quadratic forms ofChapter V reappear here.

<<算术教程>>

书籍目录

<<算术教程>>

版权说明