

<<种子健康与农业发展>>

图书基本信息

书名：<<种子健康与农业发展>>

13位ISBN编号：9787511602565

10位ISBN编号：7511602568

出版时间：2010-8

出版时间：中国农业科学技术出版社

作者：李健强 编

页数：182

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

前言

Welcome to Beijing, China. Welcome to join the 3rd International Symposium on Seed Health in Agricultural Development (3rd SHAD) taking place in Beijing, August 25-27, 2010. The 3rd SHAD is organized by the Danish Seed Health Centre for Developing Countries (DSHC), Denmark, the Asian Seed Health Centre (ASHC), Mysore, India, African Seed Health Centre (AfSHC), Morogoro, Tanzania, and the Seed Health Centre of China Agricultural University (SHC-CAU), Beijing, China that hosts the symposium. The Symposium includes 28 oral presentations covers by four sessions and 9 key invited speakers, 24 posters, and 22 paper abstracts. To encourage Chinese seed scientists to attend the symposium, we have accepted several abstracts and papers in Chinese since this is also the sixth national symposium of seed pathology in China. This is the third Symposium of a series of meeting to be organized on a regular basis and under the auspices of the DSHC in different partner countries. The SHC-CAU established in 2007 has become a member of the international recognized group of the seed health centres in Europe, Asia and Africa. The SHC-CAU is growing fast and trying best to boost the seed health system in China. The DSHC was established in 2004 by combining the activities of the former Danish Government Institute of Seed Pathology (DGISP) with development activities of the Department of Plant Biology and Biotechnology, Faculty of Life Sciences, University of Copenhagen, Denmark. The DSHC conducts research and training within the areas of seed health technology and plant pathology with the primary objective of improving farm-saved seed and locally produced seed in developing countries. DSHC sustains and expands the research and training activities implemented in collaboration with the regional centres and other partners of Africa and Asia.

<<种子健康与农业发展>>

内容概要

China. Welcome to join the 3rd International Symposium on Seed Health in Agricultural Development (3rd SHAD) taking place in Beijing, August 25-27, 2010. The 3rd SHAD is organized by the Danish Seed Health Centre for Developing Countries (DSHC), Denmark, the Asian Seed Health Centre (ASHC), Mysore, India, African Seed Health Centre (AfSHC), Morogoro, Tanzania, and the Seed Health Centre of China Agricultural University (SHC-CAU), Beijing, China that hosts the symposium.

书籍目录

PREFACE
PROGRAMME
ABSTRACTS OF ORAL PRESENTATION
SPECIAL LECTURE
The value of seed health testing in preventing introduction and spread of bacterial diseases of plants
Improved PCR-based assays for the detection of plant pathogenic *Xanthomonas*
The role of Foundation Plant Services in the creation of Clean Plant stock
Review on plant quarantine on seeds and seedlings in China
SESSION 1 Economic Significance of Seed-borne Diseases
Seed health status of farmers saved rice
Seed health and its implications
Health status of TLS (Truthfully Labeled Seeds) in the markets of Bangladesh
Development of seed treatments for control of loose smut in barley and wheat (*U. nuda*, *U. tritici*) in organic agriculture
SESSION 2 Management of Seed-borne Diseases
Detection and management of bacterial canker disease of tomatoes during and after hybrid seed production
The control of seed-borne pathogens of sorghum with two aqueous extracts made from *Yucca schidigera*
Increase in rice yield through clean seed technology, a farmer's participatory approach
The effect of plant extracts and essential oils on the control of brown spot disease of rice
The effect of plant extracts as seed treatments on the control of bacterial leaf spot of tomato
Ecofriendly seed treatment strategy for the management of important vegetable seed-borne diseases in India
Seed sanitation under new physical methods with special reference to electron treatment
Isolation, identification, pathogenicity and genetic diversity of the black rot pathogen *Xanthomonas campestris* pv. *campestris* in Brassica seed and crops from Mozambique
Effect of cultivar, foliar fungicide, and harvest on seed infection of soybean in Arkansas, USA
Utilization of wheat genotypes resistant to spot blotch, Karnal bunt and loose smut in breeding for disease resistance in India
Possibilities for control of seed-borne *Phoma* spp., *Curvularia* spp. and *Colletotrichum graminicola* in sorghum (*Sorghum bicolor*), using aqueous extracts of *Acacia gourmaensis*, *Balanites aegyptiaca* and *Eclipta alba*
Chemical analysis and mammalian toxicity of four aqueous plant extracts used for seed treatment
Histology of infection mode of *Acidovorax avenae* subsp. *citrulli*, the causal agent of fruit blotch of watermelon
SESSION 3 Diagnosis Technology on Seed-borne Diseases
Molecular detection and multiplexing of some important seed-borne pathogens
Characterization of bacterial leaf spot causing *Xanthomonas* of sweet pepper in Tanzania by PCR, pathogenicity and race determination
Molecular identification and genetic diversity of *Lasiodiplodia theobroma*, the causal agent of *Jatropha curcas* collar rot disease
SEM study on speed and process of seed-borne infection of *Fusarium moniliforme* on soybean seed
SESSION 4 Quarantine and Certification of Seeds and Vegetatively Propagated Plant Materials
Quarantine, certification and eradication: a U.S. perspective to viral disease management in fruits
crops
New emerging grapevine viruses and prevention in the Midwest of USA
ABSTRACTS OF POSTERS
Biocontrol of kernel smut of sorghum and detection of the causal organism, *Sporisorium sorghi*, in plant tissue
2,4-Diacetylphloroglucinol producing *Pseudomonas fluorescens* mediated disease resistance against early blight of tomato
A PCR-based diagnostic assay for the detection of *Alternaria padwickii* in rice seeds
Preventive control of seed borne anthracnose in lupine
The effects of seed treatment on *Ascochyta* blight infection progress in pea in different agro ecosystems
89 Improvement of seed quality in organic herb and medicinal plant farming
Activity of SYP-Z048 Z-, E- isomers on plant pathogenic fungi
Determination of SYP-Z048 in soil with dispersive solid phase extraction and high performance liquid chromatography
Study on the testing of seed associated fungi from *Populus euphratica* and *P. pruinosa*
The first report of viable but non-culturable (VBNC) state of *Clavibacter michiganensis* subsp. *michiganensis*
Testing of seed-associated fungi and disinfecting effect of six fungicides on rice seeds from 35 varieties
Seed health testing and chemical treatment effect on watermelon seeds in Beijing region
Study on control of seed and seedling diseases of *Panax quinquefolium* by seed-coating formulations
Control efficacy of 0.8% myclobutanil-tebuconazole SCF on take-all of wheat
The antifungal activity and the mode of uptake and transportation of several QoI fungicides
The detection method research for *Clavibacter michiganensis* subsp. *nebraskensis*
Research of detection technique of two important pathogens in *Burkholderia* genus
Detection of live and dead cell of *Pantoea stewartii* subsp. *stewartii* in polymerase chain reaction assay using a DNA binding dye
Detection of Cucumber Green Mottle Mosaic Virus on seeds
Detection of *Acidovorax citrulli* in watermelon leaves by polymerase chain reaction with co-amplification of host DNA
Evaluation of biocontrol

preparation "Shu De Kang" with different application methods of pepper in the field
ABSTRACTS AND PAPERSThe establishment of rapid detection method for the pathogen of crucifer bacterial black spot
Seed-borne fungi of *Onobrychis viciaefolia*Seed-borne fungi of *Sorghum sudanense* and its pathogenicityEffects of
Neotyphodium endophytes on seed germination of three grass species under different pH conditionsEffects of
Neotyphodium endophyte on germination of *Hordeum brevisubulatum* under temperature and water stress
conditionsEffects of pathogenic fungus *Embellisia astragali* on the germination of *Astragalus adsurgens*Cloning and
analysis of NBS type resistance gene analogs in citrusRapid detection of *Acidovorax avenae* subsp, *citrulli* using
protein microarrayAgriculture engineering and agricultural managementPresent situation and developing strategy
of seed health testing in ChinaPotato verticillium wilt was founded in Urumqi, XinjiangQuality analysis of seed
potato produced in Yunnan provinceRegistration current situation and development of crop seed treatment
fungicide in ChinaOne-step multiplex RT-PCR for simultaneous detection of four potato virusesDetection of
Pantoea agglomerans, causal agent of dry stalk rot, in maize seeds and its seed-borne characterizationDetection of
pathogens causing common blight in dry bean seedsDetection of *Acidovorax avenae* subsp, *citrulli* in exported
seedsStudy on harmless treatment technology of import watermelon seedsDetection of Cucumber green mottle
mosaic virus using MNP Real-time RT-PCR methodDevelopment of a real-time fluorescent quantitative RT-PCR
method for the detection of Plum pox virusIdentification of viruses infecting *Capsicum annuum* in Hexi area of
Gansu provinceDetection of three quarantine virus and endogenous genes of soybean seeds by single-tube
multiplex PCRAPPENDIXDanish Seed Health CentreAsian Seed Health CentreAfrican Seed Health CentreSeed
Health Centre of China Agricultural UniversityList of ParticipantsPOSTSCRIPT

章节摘录

插图：Bacterial canker of tomato is a serious seed-borne disease caused by *Clavibacter michiganensis* subsp. *michiganensis* (Cmm). Copper-based fungicides are responsible for bacterial diseases control in field for many decades. Hydrochloric acid is often used to treat seeds after harvest. Meanwhile, copper and acid are inducers for viable but non-culturable (VBNCstate) in some food microbes. In Chinese tomato seed production areas, we use routine methods, such as bio-PCR, to test whether the seed-parents, soil and weeds besides the field bring Cmm. All the results are negative. But the disease still occurs every year. It is supposed that the disease may be caused by Cmm in VBNC state which cannot be tested by the routine methods. This was the first report which carried the impact of different concentrations of copper (Cu^{2+}) and different pH values on Cmm, the method of staining Cmm by LIVE/DEAD BacLight Bacterial Viability Kits L13152, and the VBNC state of Cmm induced by copper and acid environment. The results indicated that less than 1.0 mmol/L of copper sulfate had no significant impact on the survival of Cmm, moreover, 2.5 mmol/L of copper sulfate and 5.0 mmol/L of Kocide2000 could kill all cells. Cmm could grow in LB broth with pH 5.0-9.5 and the optimal pH value was 6.0~8.5. When staining Cmm with LIVE/DEAD BacLight Bacterial Viability Kits, the optimal proportion was Cmm: SYTO9:PI:ddH₂O = 40:6:5:11 (V:V:V:V) and the optimal time was 20 min. The result also showed that Cmm could enter VBNC state induced by copper, acid and oligotrophy. It was the first report that Cmm could enter VBNC state induced by copper and acid. It applies a possible origin of the primary infection. At the same time, the result challenges the exiting seed health test methods; For the negative results, resuscitation of VBNC state should be added.

<<种子健康与农业发展>>

编辑推荐

《种子健康与农业发展》是由中国农业科学技术出版社出版的。

<<种子健康与农业发展>>

版权说明

本站所提供下载的PDF图书仅提供预览和简介, 请支持正版图书。

更多资源请访问:<http://www.tushu007.com>